

AUG 31 2007

Application Serial No. 10/803,914  
Reply to Office Action dated July 10, 2007

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended) An oven rack for supporting a food item to be cooked in a oven cavity of an appliance comprising:

    a frame portion including front, rear and opposing side rods, said front rod including first and second down-turned segments that are joined by a vertically offset portion; and

    a support platform including a first plurality of spaced support members and a second plurality of spaced support members which are configured different from the first plurality of spaced support members, each of the first and second plurality of spaced support members extending between and being fixed to the front and rear rods to establish a food item support zone, with the second plurality of spaced support members extending through a bend portion that is spaced from said front rod to define a food item access zone, said food item access zone being defined at the vertically offset portion to provide for exposure of a bottom portion of a food item placed upon the rack for cooking.

2. (original) The oven rack according to claim 1, wherein the food item access zone is established vertically below a plane defined by the food item support zone.

3. (canceled)

4. (previously presented) The oven rack according to claim 1, wherein the first plurality of spaced support members extend in a common plane between the front and rear rods, and the second plurality of support members extend from the rear rod through the bend portion to join the vertically offset portion.

Application Serial No. 10/803,914  
Reply to Office Action dated July 10, 2007

5. (original) The oven rack according to claim 4, wherein each of the second plurality of support members further includes an offset portion leading from the bend portion to the vertically offset portion.

6. (original) The oven rack according to claim 5, wherein the offset portion of each of the second plurality of support members extends in a plane which is vertically below the common plane.

7. (currently amended) The oven rack according to claim 5, wherein the offset portion of each of the second plurality of support members extends less ~~that~~ than one-half a depth of the support platform.

8. (original) The oven rack according to claim 7, wherein the offset portion of each of the second plurality of support members extends less than one-quarter a depth of the support platform.

9. (original) The oven rack according to claim 1, wherein the front rod also includes first and second frontal segments arranged laterally outwardly of the vertical offset portion.

10. (currently amended) The oven rack according to claim 9, wherein ~~each of the second plurality of support members includes a bend portion~~, said bend portion at least partially defining defines the food item access zone and being is directly joined to one of the first and second frontal segments.

11. (original) The oven rack according to claim 9, wherein each of the first and second down-turned segments is spaced from a respective one of the opposing side rods.

12. (original) The oven rack according to claim 11, further comprising: first and second in-turned segments formed in the front rod, each of said first and second in-turned

Application Serial No. 10/803,914  
Reply to Office Action dated July 10, 2007

sections leading from a respective one of the first and second frontal segments to a respective one of the first and second down-turned segments.

13. (original) The oven rack according to claim 1, wherein the vertically offset portion establishes a handle adapted for use in shifting the oven rack relative to an oven cavity.

14. (original) The oven rack according to claim 13, wherein the vertically offset portion is located centrally along the front rod.

15. (original) The oven rack according to claim 1, wherein the support platform includes first and second, distinct food item access zones.

16. (original) The oven rack according to claim 1, further comprising: at least one cross rod extending between said opposing side rods at a position spaced slightly forward of the rear rod.

17. (original) The oven rack according to claim 1, wherein the food item support zone includes first and second food item support zone portions which are laterally spaced by the food item access zone.

18. (currently amended) A cooking appliance comprising:

an oven cavity having top, bottom, rear and side walls; and

an oven rack supported along the side walls of the oven cavity, said oven rack including:

a frame portion including front, rear and opposing side rods, said front rod including first and second down-turned segments that are joined by a vertically offset portion; and

a support platform including a first plurality of spaced support members and a second plurality of spaced support members which are configured different from the first plurality of spaced support members, each of the first and second plurality of spaced support members extending between and being fixed to the front and rear rods, with the second plurality of spaced support members

Application Serial No. 10/803,914  
Reply to Office Action dated July 10, 2007

extending through a bend portion that is spaced from said front rod directly to the vertically offset portion, to establish both a food item support zone and a food item access zone, said food item access zone being defined at the vertically offset portion to provide for exposure of a bottom portion of a food item placed upon the rack for cooking in the oven cavity.

19. (original) The cooking appliance according to claim 18, wherein the food item access zone is established vertically below a plane defined by the food item support zone.

20. (original) The cooking appliance according to claim 18, wherein the front rod also includes first and second frontal segments arranged laterally outwardly of the vertical offset portion.